



MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name: B743-1530 Lt. Walnut Epoxy Putty
CAS Number Mixture
Hazard Rating: Health:1 Fire: 1 Reactivity: 0 PPI: B
Date: 06/19/06

Company Identification: RPM, WFG.
3194 Hickory Blvd.
Hudson, NC 28638
Phone: 828-728-8266

Chemtrec (24 Hour): (800) 424-9300

Product Class EPOXY PUTTY
Trade Name Quikwood
Product Code 4710
DOT Hazard Class
UN Number
Technical Name
Shipping Name PUTTY, NMFC 150110

SECTION II INGREDIENT AND HAZARD INFORMATION

Ingredient Name CAS Number Percent TSCA
(No hazardous ingredients known at this time.)

SECTION III - PHYSICAL DATA

Form: Putty
Appearance/Color: Lt. Walnut
Odor: Sulfur, Mercaptan
Solubility (in water): Insoluble in water
Value: Not Applicable
Boiling Range: N/A Not Applicable
Vapor Pressure (mmHg): Not Applicable
Melting Point: Not Applicable
Evaporation Rate:
Vapor Density: Non volatile

% Volatile Weight 0.%
%-Volatile < 1%
VOC < 1%
Molecular Weight:
Heavy Elements (ppm) 0.
Specific Gravity 0.95

NOTE:
The physical data represented above are typical values and should not be construed as a specification. For additional physical data and details on use, please obtain a technical data sheet for this product.

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flammability Class: None Not Applicable

Flash Range: None Not Applicable

Explosive Range: None Not Applicable

EXTINGUISHING M=IA:

Water spray, foam, CO₂, dry chemicals.

UNUSUAL HAZARDS:

Aldehydes, acids, and oxides of carbon, nitrogen, and sulfur.

FIRE FIGHTING

Fire Fighters AND others who may be exposed to the products of combustion should be equipped with NIOSH-approved positive pressure self-contained breathing apparatus (SCEA) and full protective clothing.

SECTION V - HEALTH HAZARD DATA

Route	Species	Exposure and Dose
-------	---------	-------------------

PERMISSIBLE EXPOSURE LEVEL:

N/A

EFFECTS OF OVEREXPOSURE:

Inhalation: None.

Ingestion: Irritation of intestinal tract.

Skin Contact: Possible irritant and sensitizer.

Eye Contact: Possible irritant and sensitizer.

FIRST AID

Inhalation: Remove to fresh air.

Ingestion: Seek medical advice.

Skin Contact: Wash with plenty of soap and water.

Eye Contact: Flush with water for at least 15 minutes, seek medical advice.

NOTE:

Never give anything by mouth to an unconscious person.

SECTION VI STABILITY AND REACTIVITY DATE

Stability: This product is stable

Hazardous Polymerization: Hazardous polymerization will not occur

INCOMPATIBILITY

None

CONDITIONS TO AVOID:

None

HAZARDOUS DECOMPOSITION PRODUCT

Aldehydes, acids, and oxides of carbon, nitrogen, and sulfur.

SECTION VII EXPOSURE CONTROLS

STEPS TO BE TAKEN

Spills or leaks: Dispose of in normal manner.

WASTE DISPOSAL METHOD:

Incinerate in furnace or bury in landfill in accordance with all applicable regulations; not a hazardous waste.

SECTION VIII EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH TLV ACGIH TLV-C ACGIH STEL OSHA STEL OSHA PEL

PROTECTIVE EQUIPMENT TYPES:

Eyes: Safety glasses or goggles.
Respiratory: None required unless sanding or abrading.
Gloves: Appropriate impervious gloves. Because a variety of protective gloves exist, consult glove manufacturer to determine the proper type for a specific operation.

Other: None required.

VENILATION:

General Mechanical: None required.

Local Exhaust: Only if heated above 100F (38C)

SECTION IX HANDLING AND STORAGE

HANDLING:

Storage Temperature: < 90F (32C)
Storage Conditions: Store in cool, dry, well ventilated area.

Transfer: No special precautions are needed. Follow good manufacturing and handling practices.

Personal Hygiene: wash thoroughly after handling, especially before eating, drinking, smoking, and using restroom facilities. Wash contaminated goggles, faceshield, and gloves. Professionally launder contaminated clothing before re-use.

Empty Container Precautions: Attention! This container can be hazardous when empty. Follow label cautions even after the container is empty since empty containers could retain product residues. Do not re-use empty containers for food, clothing, or products for human or animal consumption, or where skin contact can occur.

SECTION X - REGULATORY INFORMATION

Right-to-Know:

CAS	TRADE NAME
14807-96-6	Magnesium Silicate Hydrate
Trade Secret	Polyether Polymercaptan
655997-17-3	Soda Lime Borosilicate Glass

NOTE:

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK