



MATERIAL SAFETY DATA SHEETS
Part A and Part B

MP 5405 Resin **Part-A** M745-2008, M745-2016, B745-2008

REVISION DATE: 01-2002

1. GENERAL INFORMATION

PRODUCT NAME: MP 5405 Resin Part-A
CHEMICAL FAMILY: Epoxy Resin
CHEMICAL NAME: Bisphenol A/Epichlorodhydrin Based Epoxy

COMPANY INFORMATION: RPM, WFG.
3194 Hickory Blvd.
Hudson, NC 28638
Phone: 828-728-8266

HMIS	HEALTH 2	FLAMMABILITY 1	REACTIVITY 0
NFPA	HEALTH 2	FIRE HAZARD 1	REACTIVITY 0

2. COMPOSITION

INGREDIENT:	CAS#	%
Epoxy Resin	25068-38-6	100

3. CHEMICAL AND PHYSICAL PROPERTIES

APPEARANCE: Low Viscosity Paste
ODOR: Low Odor
SPECIFIC GRAVITY: 1.17
BOILING POINT: >500°F
SOLUBILITY IN WATER: Negligible
VAPOR DENSITY: N/A
VAPOR PRESSURE: 0.03 @77 °F
COLOR: Black or Clear

4. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: >480°F (method used PMCC.)
FLAMMABLE LIMITS: LEL = N/A UEL = N/A
Most standard fire fighting agents are suitable eg.
EXTINGUISHING MEDIA: Carbon Dioxide, dry chemicals, water
SPECIAL FIRE FIGHTING PROCEDURES/
UNUSUAL FIRE and EXPLOSION HAZARDS: Fire fighter should wear full protective clothing including a positive pressure self-contained breathing apparatus.

5. HEALTH HAZARD

EYE PROTECTION: Flush eyes with water for thirty minutes, prompt medical consultation is essential
SKIN CONTACT: Remove the uncured product with a dry cloth or towel, wash thoroughly with soap and water. Consult a Physician if irritation develops.
INHALATION: Remove to fresh air if effects occur. Consult a Physician.

INGESTION: INDUCE VOMITING Give large amounts of water or milk if available and transport to medical facility.

6. REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: Strong oxidizers. peroxides, halogenated organic compounds, epoxies
INCOMPATIBILITY: Will not occur
HAZARDOUS DECOMPOSITION:
HAZARDOUS POLYMERIZATION:

7. SPILL OR LEAK & DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL RELEASE OR SPILLED: Cover spills with dry absorbent material is such as sand or sawdust: scoop up and place in an appropriate container
WATER DISPOSAL MEHTOD: Bury or incinerate In accordance with EPA Federal, State and Local regulations.

8. SPECIAL PROTECTION INFORMATION:

RESPIRATORY: Because of its low volatility this product is likely to be an inhalation
VENTILATION: Adequate in-plant air movement is sufficient Use a NIOSH approved respirator, or a self-contained breathing; apparatus when exposure limits exceed established airborne limits.
EYES: Safety Glasses w/ side shields or splash goggles
OTHER PROTECTIVE EQUIPMENT: Wear impervious gloves and protective clothing as necessary to prevent skin contact

9. SPECIAL PRECAUTIONS

Storage Temperature: 40-80-°F
Average Shelf Life: Twelve months In original sealed container
Special Sensitivity (Heat, light, moisture): Moisture and Excessive heat
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in a dry area away from excessive heat

REVISION DATE: 01-2002

1. GENERAL INFORMATION

PRODUCT NAME: MP 5405 Hardener Part-B
CHEMICAL FAMILY: Mercaptan-Terminated Polymer
CHEMICAL NAME: Prop.
SYNONYMS: Mercaptan Polymer
COMPANY INFORMATION: RPM, WFG.
3194 Hickory Blvd.
Hudson, NC 28638
Phone: 828-728-8266

HMIS	HEALTH 3	FLAMMABILITY 1	REACTIVITY 0
NFPA	HEALTH 3	FIRE HAZARD 1	REACTIVITY 0

2. COMPOSITION

INGREDIENT:	CAS#	%	TLV
Mercaptan Polymer	Trade Secret	100	495°F

3. CHEMICAL AND PHYSICAL PROPERTIES

APPEARANCE: Low Viscosity Paste
ODOR: Mercaptan Odor
SPECIFIC GRAVITY: 1.15
BOILING POINT: Not Determined
SOLUBILITY IN WATER: Slight
VAPOR DENSITY: N/A
VAPOR PRESSURE: N/A
COLOR: Yellow

4. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: N/A
FLAMMABLE LIMITS: LEL = N/A UEL = N/A
Most standard fire fighting agents are suitable eg.
EXTINGUISHING MEDIA: Carbon Dioxide, dry chemicals, water
SPECIAL FIRE FIGHTING PROCEDURES/
UNUSUAL FIRE and EXPLOSION HAZARDS: Fire fighter should wear full protective clothing including a positive pressure self-contained breathing apparatus.

5. HEALTH HAZARD

EYE PROTECTION: Flush eyes with water for thirty minutes, prompt medical consultation is essential
SKIN CONTACT: Remove the uncured product with a dry cloth or towel, wash thoroughly with soap and water. Consult a Physician if irritation develops.
INHALATION: Remove to fresh air if effects occur. Consult a Physician.
INGESTION: INDUCE VOMITING In general, no treatment is necessary unless large quantities of product are ingested. However, get medical attention.

6. REACTIVITY DATA

STABILITY: Stable
CONDITIONS TO AVOID: Avoid Oxidizing Agents
INCOMPATIBILITY: N/A

HAZARDOUS DECOMPOSITION:

Ammonia, Oxide, Nitrogen or carbon compound

HAZARDOUS POLYMERIZATION:

Will not occur

7. SPILL OR LEAK & DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL RELEASE OR SPILLED:

Cover spills with dry absorbent material is such as sand or sawdust: scoop up and place in an appropriate container

WATER DISPOSAL MEHTOD:

Bury or incinerate In accordance with EPA Federal, State and Local regulations.

8. SPECIAL PROTECTION INFORMATION:

RESPIRATORY:

Because of its low volatility this product is likely to be an inhalation

VENTILATION:

Adequate in-plant air movement is sufficient Use a NIOSH approved respirator, or a self-contained breathing; apparatus when exposure limits exceed established airborne limits.

EYES:

Safety Glasses w/ side shields or splash goggles

OTHER PROTECTIVE EQUIPMENT

Wear impervious gloves and protective clothing as necessary to prevent skin contact

9. SPECIAL PRECAUTIONS

Storage Temperature:

40-80-°F

Average Shelf Life:

Twelve months In original sealed container

Special Sensitivity (Heat, light, moisture):

Moisture and Excessive heat

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Store in a dry area away from excessive

10. TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME: NOT REGULATED

HAZARD CLASS OR DIVISION:NA

PACKING GROUP NUMBER: NA

REQUIRED LABEL: NONE

IDENTIFICATION NUMBER: NA

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

