













B750-120 Slideez

MATERIAL SAFETY DATA SHEET

RPM Wood Finishes Group 3194 Hickory Boulevard Hudson, North Carolina 28638 828-728-8266

Health: 1 Flammability: 1 Reactivity 0

PRODUCT NAME: B750-120 Slideez

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

REVISION DATE: 21/04/03 SUPERCEDES: None MSDS NO. B750-120

II. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	%	CAS#	PEL
Petrolatum	71-80	8009-03-8	No PEL established
Stearic Acid	21-30	57-11-4	No PEL established

III. HAZARDS IDENTIFICATION

Routes of Entry: Eye contact.

Medical Conditions Aggravated: No medical conditions affected by exposure.

Immediate (Acute) Health Effects

Inhalation: No hazard in normal industrial use.

Skin Contact: Can cause minor skin irritation, defatting, and dermatitis.

Eye Contact: Can cause minor irritation, tearing and reddening.

Skin Absorption: No absorption hazard in normal industrial use.

Ingestion: Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort.

Target Organ Acute Toxicity:

B750-120 Slideez Page 1 of 4

Long-Term (Chronic) Health Effects:

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal studies.

Not a carcinogen according to NTP, IARC, or OSHA.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1%

is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, no hazard in normal industrial use.

Skin Contact: Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

dermatitis.

Eye Contact: Upon prolonged or repeated contact, can cause minor irritation, tearing and

reddening.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Target Organ Chronic Toxicity: No data.

Supplemental Health Hazard

Information:

No additional health information available.

IV. FIRST AID

Inhalation: This material does not present a hazard if inhaled. Remove individual to fresh air

after an airborne exposure if any symptoms develop, as a precautionary measure.

Eyes: Use an eye wash to remove a chemical from your eye regardless of the level of

hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after

flushing.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

Ingestion: Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention

immediately. Provide medical care provider with this MSDS.

Notes to MD: No additional first aid information available.

V. FIRE FIGHTING MEASURES

Flammability Summary:

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

VI. ACCIDENTAL RELEASE MEASURES

Health Consideration for Spill

Response:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section

VIII of this MSDS

B750-120 Slideez Page 2 of 4

Spill Mitigation Procedures General Methods:

No special spill clean-up considerations. Collect and discard in regular trash.

VII. HANDLING AND STORAGE

Handling: Follow all protective equipment recommendations provided in Section VIII. Mildly

irritating material. Avoid unnecessary exposure.

Storage: Store in a cool dry place away from ignition sources. Store in a cool dry place. Isolate

from incompatible materials.

VIII. ENGINEERING CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT

Engineering Controls: Check ventilation codes. No exposure limits exist for the constituents of this product.

No engineering controls are likely to be required to maintain operator comfort under

normal conditions of use.

Protective Equipment

Respiratory Tract: Respirators should be selected by and used under the direction of a trained health and

safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2-1992). A written respiratory protection program, including provisions for medical certification, training, fit testing, exposure assessments, maintenance, inspection, cleaning, and

convenient, sanitary storage should be implemented.

Eyes: Wear chemically resistant safety glasses with side shields when handling this product.

Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Skin: Avoid skin contact by wearing chemically resistant gloves, an apron and other

protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly.

Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

IX. PHYSICAL DATA

Physical State: COLORED VISCOUS LIQUID

Odor: NONE TO VERY FAINT

 Solids Vol %:
 100.0000

 Solids Wt %:
 100.0000

 Material VOC lbs/gal:
 0.0000

 Material VOC gms/l:
 0.0000

 Coatings VOC lbs/gal:
 0.000

 Coatings VOC gms/l:
 0.00

 Weight per gallon:
 7.1467

X. STABILITY AND REACTIVITY

Stability Information: Stable under normal conditions.

Conditions to Avoid: None known.

Chemical Incompatibility: Strong oxidizing agents.

B750-120 Slideez Page 3 of 4

Hazardous Polymerization: Hazardous Polymerization will not occur.

XI. TOXICOLOGICAL INFORMATION

Chemical Name CAS Number LD50/LC50

Stearic acid 57-11-4 Dermal LD50 Rabbit : >5 gm/kg

XII. ECOLOGICAL INFORMATION

Overview (for ingredients): No data available. This material is not expected to be harmful to the ecology.

XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent

Spent or discarded material is non-hazardous according to environmental regulations.

Product:

Disposal Methods: Comply with all Local, State, Federal, and Provincial Environmental Regulations.

Dispose of in a landfill. Disposal is not likely to be regulated.

Components Subject to USEPA Land Disposal Restrictions:

No chemicals subject to land disposal restrictions.

%

XIV. TRANSPORTATION INFORMATION

DOT NON REGULATED

XV. REGULATORY INFORMATION

Chemical Name	Regulation	CASRN	%
No 313-listed chemicals in this product	SARA 313 Reportable:		
Petrolatum	New Jersey Right To Know:	8009-03-8	79.25
Stearic Acid	New Jersey Right To Know:	57-11-4	20.29
Vanilla Scent	New Jersey Right To Know:	N/A	0.21

XVI. ADDITIONAL INFORMATION

Other Information:

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION,OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

MSDS glossary.

B750-120 Slideez Page 4 of 4