



B320-006 Cherry Burn In Stick

MATERIAL SAFETY DATA SHEET

RPM Wood Finishes Group
3194 Hickory Boulevard
Hudson, North Carolina 28638
828-728-8266

EMERGENCY PHONE (CHEM TREC): 1-800-424-9300
FOR ALL INTERNATIONAL TRANSPORTATION ACCIDENTS. 1-703-527-3887 (collect)

Health: 2 Flammability: 0 Reactivity 0

PRODUCT NAME: B320-006 Cherry Burn In Stick

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

REVISION DATE: 11/04/01
SUPERCEDES: 11/04/01
MSDS NO. RPMFILSTIK

II. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	%	CAS #	PEL
epoxy resin	91-100	25036-25-3	No PEL established
Quartz	<1	14808-60-7	see Table Z-3

III. HAZARDS IDENTIFICATION

Routes of Entry: Ingestion.Skin contact.Eye contact.
Medical Conditions Aggravated: Eye disease. Respiratory disease including asthma and bronchitis.

Immediate (Acute) Health Effects

Skin Contact: May cause skin irritation.

Eye Contact: Can cause minor irritation, tearing and reddening.

Ingestion: Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort.

Target Organ Acute Toxicity:
Silica, crystalline respiratory system, eyes (in animals: lung cancer)

Long-Term (Chronic) Health Effects:

Carcinogenicity Contains a substance that is a probable cancer hazard as a respirable state based on human studies.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

Target Organ Chronic Toxicity Eyes. Respiratory Tract.

Supplemental Health Hazard Information: No additional health information available.

IV. FIRST AID

Eyes: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

Ingestion: No hazard expected under normal industrial use. If a large quantity is swallowed, seek medical attention. Do not induce vomiting.

Notes to MD: No additional first aid information available.

V. FIRE FIGHTING MEASURES

Flammability Summary:

Fire Hazards: None Known.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

VI. ACCIDENTAL RELEASE MEASURES

Spill Mitigation Procedures

General Methods: None Known.

VII. HANDLING AND STORAGE

Handling: Wash thoroughly after handling.

Storage: Store in a cool dry place. Isolate from incompatible materials.

VIII. ENGINEERING CONTROLS AND PERSONAL PROTECTIVE EQUIPMENT

Engineering Controls: Check ventilation codes.

Protective Equipment

Respiratory Tract: No respiratory protection required under normal conditions of use.

Eyes: No special requirements under normal industrial use.

Skin: Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

IX. PHYSICAL DATA

Physical State: Colored Solid
Odor: None to very faint
Solids Vol % 100
Solids Wt % 100
Material VOC lbs/gal: 0
Material VOC gms/l: 0
Weight per gallon: 9.9682

X. STABILITY AND REACTIVITY

Stability Information: Stable under normal conditions.
Conditions to Avoid: Contamination.High temperatures.
Hazardous Polymerization: Hazardous Polymerization will not occur.

XI. TOXICOLOGICAL INFORMATION

Chemical Name	CAS Number	LD50/LC50
No data available		

XII. ECOLOGICAL INFORMATION

Ecological Values: None Known

XIII. DISPOSAL CONSIDERATIONS

Disposal Methods: Dispose of in a landfill. Disposal is not likely to be regulated.

Components Subject to USEPA Land Disposal Restrictions:

No chemicals subject to land disposal restrictions. %

XIV. TRANSPORTATION INFORMATION

DOT Non-regulated

XV. REGULATORY INFORMATION

Toxic Substances Control Act (TSCA): All components in this product are on the TSCA Inventory.

Chemical Name	Regulation	CASRN	%
Aluminum oxide	SARA 313 Reportable:	1344-28-1	0.00
Carbon Black	California Proposition 65 Cancer List:	1333-86-4	0.00
epoxy resin	New Jersey Right To Know:	25036-25-3	97.58
Bensimidazolone Pigment	New Jersey Right To Know:		
Modified Epoxy Resin	New Jersey Right To Know:	PROPRIETARY	0.88
Quartz	New Jersey Right To Know:	14808-60-7	0.06

XVI. ADDITIONAL INFORMATION

Other Information:

IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

MSDS glossary.